



„NEW Vacuum Family“

Model:

| | |
|------------------|-------------------------|
| Turbo I | 9 20 24 236 01 0 |
| Turbo II | 9 20 25 236 01 0 |
| Turbo III | 9 20 26 236 01 0 |



Substitute for 9 11 55, 9 55 13, 9 77 25

Product:

Versatile:

Three new designed dust extractors to fit your working requirements perfectly. Available filtering capabilities for the vacuums are, the 5-micron cloth bag, the 1 micron pleated filter cartridge, and the 0.3 HEPA filter cartridge. The vacs can be used wet or dry. There is a large selection of accessories available.



Rugged and improved new design:

The new Fein dust extractors are designed for heavy, continuous, industrial use. The new design has an optimized shape and 6 wheels instead of 4. This reduces tipping. The FEIN dust extractors handle power tools with inputs of 5 to 2000 watts (0.05 to 18 amps). The powerful two-stage motor offers bypass cooling. This means that if the hose or filter becomes blocked, air will still cool the motor, ensuring a long life. Also all three models come with an integrated Drain plug.

Automatic operation:

All Fein dust extractors feature an automatic on-off switch. Plug your power tool into the panel-mounted outlet. When you turn your power tool on, the vac starts automatically. When you shut your power tool off, the dust extractor continues to run for 3 seconds to clean the hose.



Electronic variable suction control with LED indicator

All three models come with a variable suction control. You can adjust the power via a simple and durable switch. The current setting is shown by a easy understandable and readable LED indicator. The variable suction control saves energy and reduces the noise level to an absolute minimum.

Quiet:

Producing an average of 60 dB (A) noise level at 3.5 feet, the Fein dust extractors are some of the quietest vacs available on the market today.

Dust free sanding:

The FEIN extractors, when combined with Fein’s random orbit sanders, are an integral part of Fein’s 98% dust-free sanding system.



New Packaging

The new models come with a new designed package. So the boxes fit perfect into a show booth or a POS at your dealer.



„NEW Vacuum Family“

Target groups

Interior: Carpenters, woodworkers, Boat yards, fiberglass & refinishing business, Kitchen remodeling, Tile installers, Cabinet installers/ builders, Flooring, Glazier, Drywall, Plasterers, maintenance workshops and craftspeople
Metal: Steel erection contractors, ornamental metal mfg, machine construction, Window & door mfg.
Automotive: Auto glass inst., Body shops,
DIY: home woodworker

Application

Designed to work with shaping, routing, sawing or sanding tools (**which create a lot of dust**).
 In the shop and out on job sites, where ever you want to keep the work area clean.
 All models can be used wet or dry.

Highlights

USP

- **Runs quiet** at only ~ 60 decibels.
- 2-stage motor with **bypass cooling**. This means that if the hose or filter becomes blocked, air will still cool the motor. Fein Turbo cooling technology uses a dual fan motor to prevent heat damage to the motor which extends the life of the motor.
- **Auto start** for dust extraction when connected to your power tool
- **16-foot long hose (TURBO I and TURBO II)**
- **16-foot long power cord (all models)**
- Fabric boot filter collects dust down to **5 microns**
- Optional filters available down to .3 micron (**HEPA**)
- **Large dry and wet capacity**, can be used with optional **anti-foam filter**.
- Delivers up to 126 cfm and 99 inches of **static water lift (TURBO III)**
- **Powerful** enough to run two 6-inch random orbit sanders
- **Durable, reliable**, quiet and powerful.
- Customer can choose **wide range of filtration options** to match their application.

FEIN benefits

- The models, when combined with FEIN's random orbit sanders, are an integral part of FEIN's **98% dust-free** sanding system.
- **The Turbo I** includes auto start, electronic variable suction control, 5-micron filter, round upholstery brush, crevice tool and a rubber adaptor for power tools.
- **The Turbo II** features five micron filtration, auto start and electronic variable suction control
- **The Turbo III** comes with a 2 ¼ inch hose and doubles as a clean and efficient workshop dust collector. It comes with auto start and also with electronic variable suction control
- **Wide varieties of accessories** are available for all Fein vac's.



„NEW Vacuum Family“

Technical data

| | TURBO I | TURBO II | TURBO III |
|--------------------------|----------|-----------|-----------|
| Autostart | Yes | Yes | Yes |
| Variable suction control | Yes | Yes | YES |
| Voltage | 120V | 120V | 120V |
| Watts | 1000W | 1050W | 1200W |
| Static water lift | 90in. | 90in. | 99in. |
| Air flow | 116cfm | 116cfm | 126cfm |
| Weight | 17 ¾ lb. | 28 ½ lb. | 36lb. |
| Power cord | 16ft. | 16ft. | 16ft. |
| Hose length | 16ft. | 16ft. | 10ft. |
| Hose Diameter | 1 ¼ in. | 1 ¼ in. | 2 ¼ in. |
| Capacity dry | 6gal. | 9gal. | 15gal. |
| Capacity wet | 5.3gal. | 6.8gal. | 12gal. |
| Noise at 3 ½ ft. | 62dB(A) | 57.8dB(A) | 57.8dB(A) |

Optional Accessories: HEPA filter, 1-micron filter, filter mounting screw and flange Anti-foam filter, Dust bag, 5-micron filter cloth.

Clean up tools: Brush, Upholstery tube, crevice tool, extension tube, power beater brush, floor brush housing, thread pick for brush, Hose assembly, handle, 3 way connector with cap, replacement cap for 3 way connector, adapter, step adapter, adaptor 2 ¼ - 1 ¼ , clean up kit, cord clips for 1 ¼ “ hose





„NEW Vacuum Family“

Delivery includes 1 FEIN dust extractor
 1 Hose
 1 micron 5 Filter for Turbo I – III
 6 Wheels
 Turbo I comes with basic clean up kit

Compared to the Competition

- Fein **Turbo cooling technology** uses a dual fan motor to prevent Heat damage to motor and extends the life of the motor.
- Producing a mere 57.8 dB(A) noise level at 3.5 feet, the Fein Turbo dust extractors are **some of the quietest vacs** available on the market today.
- Extremely long **hose 16ft (TURBO I and TURBO II)**
- **Length of cable** of the vacs 16ft.
- **Crush proof** Hose
- **Compact** size
- **Locking hose** for 1 ¼in.
- All models can be used **wet** and **dry**
- Available with 5, 1, and .3 micron (**HEPA**) filtration
- **Antistatic hose** for protection against electrostatic charging

| TOOLS / ACCESSORIES | PART NO. | List price | Platinum Dist. Cost | Street Price |
|-----------------------------|------------------|------------|---------------------|--------------|
| Turbo I | 9 20 24 236 01 0 | 379.00 | 242.56 | 299.00 |
| Turbo II | 9 20 25 236 01 0 | 495.00 | 316.80 | 396.00 |
| Turbo III | 9 20 26 236 01 0 | 565.00 | 361.60 | 452.00 |
| Step Adaptor 2 ¼ - 1 ¼ | 9 21 072 K13 | 4.50 | 2.88 | 3.15 |
| Clean up kit | DW1 | 117.40 | 75.14 | 82.18 |
| Clean up kit | DW3 | 120.20 | 76.93 | 84.14 |
| Dust Bag (3 pack) Turbo I | 913038P01 | 13.40 | 8.58 | 9.38 |
| Dust Bag (3 pack) Turbo II | 913036P01 | 14.10 | 9.02 | 9.87 |
| Dust Bag (3 pack) Turbo III | 913048P01 | 15.30 | 9.79 | 10.71 |

Available October 2008!